

WHAT IS CLAIMED IS:

1. A radiation imaging system comprising a radiation image detection panel having means for converting radiations into electric signals, and an outer enclosure which holds therein the radiation image detection panel, wherein;

the radiation imaging system further comprises an elastic support means, and the radiation image detection panel is elastically supported by the elastic support means toward the outer enclosure.

2. The radiation imaging system according to claim 1, which further comprises an electric-circuit board.

3. The radiation imaging system according to claim 2, wherein the electric-circuit board comprises a flexible circuit board.

4. The radiation imaging system according to claim 2, which further comprises a support plate which supports the radiation image detection panel; the electric-circuit board being provided integrally with the radiation image detection panel.

5. The radiation imaging system according to claim 1, wherein the elastic support means comprises a compression coiled spring, a leaf spring or a rubbery

Sub
A1
1052501
121.062501

member.

5 6. The radiation imaging system according to claim 1, wherein the elastic support means comprises a spring member having a non-linear spring constant.

10 7. The radiation imaging system according to claim 6, wherein the spring member comprises an inconstant-pitch compression coiled spring.

8. The radiation imaging system according to claim 6, wherein the spring member comprises a conical compression coiled spring.

15 9. The radiation imaging system according to claim 1, which further comprises a cushioning material provided between the radiation image detection panel and the outer enclosure.

20 10. The radiation imaging system according to claim 9, wherein the cushioning material comprises a radiation-transmissive member.

25 11. The radiation imaging system according to claim 4, wherein a stopper is provided which restricts the range in which the support plate is downward movable.

Sub
A1
enc

09887121 062501

Sub
A2

Sub
A2
mel

5 12. A radiation imaging system comprising a radiation image detection panel having means for converting radiations into electric signals, and an outer enclosure which holds therein the radiation image detection panel, wherein;

the radiation imaging system further comprises an elastic support means, and the elastic support means elastically supports an inner case which holds therein the radiation image detection panel.

10

13. The radiation imaging system according to claim 12, wherein the elastic support means is positioned on at least one surface of the overhead surface, the sidewall and the bottom surface inside the outer enclosure.

15

Sub
A3

20 14. The radiation imaging system according to claim 12, which further comprises an electric-circuit board.

15. The radiation imaging system according to claim 14, wherein the electric-circuit board comprises a flexible circuit board.

25

16. The radiation imaging system according to claim 14, which further comprises a support plate which supports the radiation image detection panel; the

electric-circuit board being provided integrally with the radiation image detection panel.

5 17. The radiation imaging system according to claim 12, wherein the elastic support means comprises a compression coiled spring, a leaf spring or a rubbery member.

10 18. The radiation imaging system according to claim 12, wherein the inner case has an opening at least on the side where the radiations are incident.

15 19. The radiation imaging system according to claim 18, wherein the inner case comprises a flange at the opening, and is supported by the elastic support means via the flange.

20 20. The radiation imaging system according to claim 19, wherein the elastic support means is provided on the sidewall of the outer enclosure, and is divided up and down at the support flange.

Sub
A3
mg

00007121.062501
"00000" T2T 2860